
Kidney Stories


Diet and Kidney Disease

The food you eat is made up of different parts.

Salts, sugars, fats, phosphate and potassium make up some of these parts.


When your body digests the food that you eat, these parts go into your blood and travel around your body through your blood.







Healthy kidneys work to keep the right balance in your blood.

When your kidneys get sick they will not be balancing the good and waste parts of your blood properly.







You can help keep your blood balanced by managing the food that you eat.


The kidney dietitian can help you learn about which foods will help you and which foods will make you sicker.



When you have kidney disease, salt in the food you eat is a problem because it can give you high blood pressure.

High blood pressure can make your kidney disease worse.





CKD BOOK > DIET & KIDNEY DISEASE > SALT < CONTENTS 50








Look for food in the shops that has 'no added salt' or 'unsalted' label.





When you cook use herbs and spices to make food taste better.










Eating food with lots of sugar may lead to high sugar levels in your blood. This is also known as high 'blood glucose levels'.

High blood glucose levels can damage your blood vessels (veins and arteries) and make it difficult for your blood to move around your body.

Having too much sugar in your blood can be very dangerous and will damage your kidneys. It can also lead to heart disease, poor eye sight or blindness and even ampuatations of feet or legs.









Don't add sugar to your tea.



Don't have sweet foods or drinks.





Eating too much, or eating foods with a lot of fat can make you overwieght.

If you are overwieght you will not be able to have a kidney transplant.

Being overwieght can lead to:



 High blood pressure




 Breathing difficulties and heart problems



 Feeling tired, no energy


CKD BOOK > DIET & KIDNEY DISEASE > FAT < CONTENTS 54

Don't eat these foods that have a lot of fat in them:





Fast foods are foods that are ready to eat or only need heating. These foods are high in fat, salt and sugars and make you unhealthy.




Eat more natural and whole foods.

CKD BOOK > DIET & KIDNEY DISEASE > FAST FOODS < CONTENTS 56

Bush tucker is best.




CKD BOOK > DIET & KIDNEY DISEASE > BUSH TUCKER < CONTENTS 57




Eating breakfast, lunch and dinner can help keep your energy up and your weight healthy.

If you miss meals you may run out of energy and get a headache, or feel tired and cranky.





If you have diabetes it is important to eat a few times a day to keep your energy levels even.



Being active will help to slow your kidney disease by:



your blood pressure normal and your heart healthy



Using

 up extra
 energy to
 keep your
 weight
 healthy



Keeping your blood sugar normal



There are many ways to be active:



 Walking everywhere rather than taking a bus or taxi



Going bush tucker hunting



Hunting, fishing and gathering your own food keeps you fit and healthy.




















Phosphate and potassium also make up the parts of the foods that you eat.

As you digest the food that you eat phosphate and potassium go into your blood.


Healthy kidneys control the amounts of phosphate and potassium in your blood.

When your kidneys are sick the phosphate and potassium in your blood can get too high.


If the phosphate in your blood is too high you may feel:








Weak heart



To manage phosphate it is important to have a good diet and take your medicines.





Calsup




Caltrate



Renagel

Do not eat or drink these foods which have a lot of phosphate in them:






Having very high potassium in your blood is dangerous and can lead to a heart attack.

Dialysis helps to lower the potassium in your blood.





To manage the potassium in your blood do not eat these foods which have a lot of potassium in them:





As your kidneys get sicker there are more foods that you need to eat less of.

Knowing how much you can eat of certain foods can get complicated and you need the right advice.

The kidney dietitian can help you understand how to slow down your kidney disease by eating the right foods and by not drinking too much tea, water and other fluids.